

| L Number | Hits | Search Text | DB | Time stamp |
|----------|-------|--|---|------------------|
| - | (8) | cohen-jules\$.in. | USPAT; US-PGPUB | 2004/03/24 13:39 |
| - | (1) | gur-jacob\$.in. | USPAT; US-PGPUB | 2004/03/24 13:39 |
| - | (2) | kromann-paul\$.in. | USPAT; US-PGPUB | 2004/03/24 13:39 |
| - | 3904 | microsoft.as. | USPAT; US-PGPUB | 2004/03/24 13:40 |
| - | (23) | microsoft.as. and (data near migrat\$) | USPAT; US-PGPUB | 2004/03/24 13:43 |
| - | 409 | ((determin\$ or choos\$ or identif\$ or select\$) near (user or client)) and((stor\$5 or sav\$5 or migrat\$ or mov\$ or transfer\$) near5 (user or client) near5 (data or profile or information) near5 central\$ near5 (database or data\$store or store or server or location)) and web\$6 | USPAT; US-PGPUB | 2004/03/25 14:07 |
| - | 87 | ((determin\$ or choos\$ or identif\$ or select\$) near (user or client)) and((stor\$5 or sav\$5 or migrat\$ or mov\$ or transfer\$) near5 (user or client) near5 (data or profile or information) near5 central\$ near5 (database or data\$store or store or server or location)) and web\$6 and cookie and (id or identifier or identification) | USPAT; US-PGPUB | 2004/03/24 13:51 |
| - | (85) | ((determin\$ or choos\$ or identif\$ or select\$) near (user or client)) and((stor\$5 or sav\$5 or migrat\$ or mov\$ or transfer\$) near5 (user or client) near5 (data or profile or information) near5 central\$ near5 (database or data\$store or store or server or location)) and web\$6 and cookie and ((client or user) same (id or identifier or identification)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/24 14:10 |
| - | (2) | ((determin\$ or choos\$ or identif\$ or select\$) near (user or client)) near (feature or software) near (deploy\$ or distribut\$) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/24 14:16 |
| - | 160 | ((determin\$ or choos\$ or identif\$ or select\$) near (user or client)) same (feature or software) near (deploy\$ or distribut\$) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/24 14:32 |
| - | 32532 | (migrat\$ or mov\$ or transfer\$) near5 (data or profile or information) same (criteria or condition) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/24 14:52 |
| - | 4337 | (migrat\$ or mov\$ or transfer\$) near5 (data or profile or information) same ((criteria or condition) and (id or identifier or identification)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/24 14:56 |
| - | 747 | (migrat\$ or mov\$ or transfer\$) near5 (data or profile or information) same ((criteria or condition) and (id or identifier or identification)) and web\$6 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/24 16:40 |
| - | (75) | (migrat\$ or mov\$ or transfer\$) near5 (data or profile or information) same ((criteria or condition) and (id or identifier or identification)) and web\$6 and cookie | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/24 16:31 |
| - | 327 | ((migrat\$ or mov\$ or transfer\$) near5 (data or profile or information) same ((criteria or condition) and (id or identifier or identification)) and web\$6) and @ad<20010124 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/24 16:30 |

| | | | | |
|---|------|--|---|------------------|
| - | 10 | (migrat\$ or mov\$ or transfer\$) near5 (data or profile or information) same ((criteria or condition) and (id or identifier or identification)) same web\$6 and cookie | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/24 16:40 |
| - | 5 | (migrat\$) near cookie | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/24 16:41 |
| - | 174 | (migrat\$ or mov\$ or transfer\$) near cookie | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/24 16:46 |
| - | 23 | ((migrat\$ or mov\$ or transfer\$) near cookie).ab. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/24 16:44 |
| - | 0 | (migrat\$ or mov\$ or transfer\$) near cookie and (709/203,217-219,227-228.ccls 719/311.ccls.) | USPAT; US-PGPUB | 2004/03/24 17:39 |
| - | 0 | migrat\$ near web\$site near data | USPAT; US-PGPUB | 2004/03/24 17:40 |
| - | 0 | migrat\$ near web\$site near data | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/24 17:40 |
| - | 0 | migrat\$ near website near data | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/24 17:40 |
| - | 1 | migrat\$ near web near site near data | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/25 13:17 |
| - | 1063 | track\$ near web | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/25 13:18 |
| - | 5 | track\$ near web\$6 same (central\$ near (database or data near store or store or server)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/25 13:22 |
| - | 42 | (track\$ near5 (web\$6 or page or site)) same (central\$ near (database or data near store or store or server)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/25 13:42 |
| - | 3 | (gather\$ or collect\$ or migrat\$ or obtain\$ or get\$4) near5 (information or data or profile) near5 cookie same (central\$ near (database or (data near store) or store or server)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/25 13:57 |
| - | 2172 | ((client or user) near (id or identifier or data)) same (threshold or criteria) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/25 14:00 |
| - | 0 | ((client or user) near (id or identifier or data)) same (threshold or criteria) and (adjust\$ near (threshold or criteria)) and cookie | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/25 14:01 |

| | | | | |
|---|-------|---|---|------------------|
| - | 50 | ((client or user) near (id or identifier or data)) same (threshold or criteria) and (adjust\$ near (threshold or criteria)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/25 14:01 |
| - | 234 | ((determin\$ or choos\$ or identif\$ or select\$) near (user or client)) and((stor\$5 or sav\$5 or migrat\$ or mov\$ or transfer\$) near5 (user or client) near5 (data or profile or information) near5 central\$ near5 (database or data\$store or store or server or location)) and web\$6 and (threshold or criteria) | USPAT; US-PGPUB | 2004/03/25 14:09 |
| - | 3 | ((determin\$ or choos\$ or identif\$ or select\$) near (user or client)) and((stor\$5 or sav\$5 or migrat\$ or mov\$ or transfer\$) near5 (user or client) near5 (data or profile or information) near5 central\$ near5 (database or data\$store or store or server or location)) and web\$6 and ((adjust\$ or chang\$) near (threshold or criteria)) | USPAT; US-PGPUB | 2004/03/25 14:11 |
| - | 240 | data near migration and web\$6 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/25 14:12 |
| - | 14 | data near migration same web\$6 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/25 14:20 |
| - | 4754 | (threshold or criteria) same (id or identifier or identification) same (database or store or server or data near store) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/25 14:29 |
| - | 292 | (threshold or criteria) same (id or identifier or identification) same (database or store or server or data near store) and ((adjust\$ or chang\$5 or modif\$) near (threshold or criteria)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/25 14:32 |
| - | 139 | (threshold or criteria) same (id or identifier or identification) same (database or store or server or data near store) and ((adjust\$ or chang\$5 or modif\$) near (threshold or criteria)) and web\$6 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/25 14:56 |
| - | 10206 | 709/203,217-219,227-228.ccls. 719/311.ccls. | USPAT; US-PGPUB | 2004/03/25 14:57 |
| - | 45 | (709/203,217-219,227-228.ccls. 719/311.ccls.) and ((data or profile or information) near migrat\$) and web\$6 | USPAT; US-PGPUB | 2004/03/25 15:10 |
| - | 494 | (709/203,217-219,227-228.ccls. 719/311.ccls.) and ((software or feature) near (deploy\$ or distribut\$)) | USPAT; US-PGPUB | 2004/03/25 15:11 |
| - | 355 | (709/203,217-219,227-228.ccls. 719/311.ccls.) and ((software or feature) near (deploy\$ or distribut\$)) and web\$6 | USPAT; US-PGPUB | 2004/03/25 15:12 |
| - | 106 | (709/203,217-219,227-228.ccls. 719/311.ccls.) and ((software or feature) near (deploy\$ or distribut\$)) and web\$6 and ((user or client) near (guid or id or identifier or identification)) | USPAT; US-PGPUB | 2004/03/25 15:58 |
| - | 18 | (709/203,217-219,227-228.ccls. 719/311.ccls.) and ((software or feature) near (test\$4)) and web\$6 and ((user or client) near (guid or id or identifier or identification)) | USPAT; US-PGPUB | 2004/03/30 17:42 |
| - | 108 | 370/229.ccls. and database | USPAT; US-PGPUB | 2004/03/30 17:42 |
| - | 10 | 370/229.ccls. and database.ab. | USPAT; US-PGPUB | 2004/03/30 17:42 |

| L Number | Hits | Search Text | DB | Time stamp |
|----------|-------|---|---|------------------|
| - | 9990 | (select\$ or choos\$) with (user or client) with (id or identifi\$) and (@ad<20010124 or @prad<20010124) | USPAT; US-PGPUB | 2004/04/28 16:01 |
| - | 105 | ((select\$ or choos\$) with (user or client) with (id or identifi\$) with (website or web adj site)) and (@ad<20010124 or @prad<20010124) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/28 16:02 |
| - | 27959 | ((copy\$ or transfer\$ or transmit\$) with (data or information) with (user or client) with (stor\$4 or database or archive or server)) and (@prad<20010124 or @ad<20010124) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/28 16:09 |
| - | 36 | ((select\$ or choos\$) with (user or client) with (id or identifi\$) with (website or web adj site)) and (@ad<20010124 or @prad<20010124)) and (((copy\$ or transfer\$ or transmit\$) with (data or information) with (user or client) with (stor\$4 or database or archive or server)) and (@prad<20010124 or @ad<20010124)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/28 17:09 |
| - | 4 | ((copy\$ or migrat\$ or transfer\$ or transmit\$ or mov\$4) with (data or information) with (user or client) with (website or web adj site) with customiz\$ with (server or database or stor\$5 or datastore or archive or repository or data adj store)) and (@ad<20010124 or @prad<20010124) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/29 09:59 |
| - | 44 | ((test or experimental or trial) adj (population or group\$3) same web\$8) and (@ad<20010124 or @prad<20010124) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/28 16:58 |
| - | 195 | select\$ with user with test with (software or feature) and (@ad<20010124 or @prad<20010124) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/29 09:59 |
| - | 18 | select\$ with user with test with (software or feature) and (website or web adj site) and (@ad<20010124 or @prad<20010124) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/29 09:28 |
| - | 1698 | (select\$ or choos\$) with (client or user) with (id or identifi\$) same web\$5 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/29 09:56 |
| - | 938 | (select\$ or choos\$) with (client or user) with (id or identifi\$) with web\$5 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/29 09:57 |
| - | 437 | (select\$ or choos\$) with (client or user) with (id or identifi\$) with web\$5 and (@ad<20010124 or @prad<20010124) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/29 09:57 |
| - | 26 | (migrat\$ adj data) with (client or user) with (server or database or archive or repository or datastore or stor\$3) and (@ad<20010124 or @prad<20010124) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/29 10:03 |
| - | 0 | (migrat\$ adj data) with (client or user) with (server or database or archive or repository or datastore or stor\$3) same web\$5 and (@ad<20010124 or @prad<20010124) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/29 10:04 |

| | | | | |
|---|------|---|---|------------------|
| - | 4 | ((migrat\$ or copy\$3) adj data) with (client or user) with (server or database or archive or repository or datastore or stor\$3) same web\$5 and (@ad<20010124 or @prad<20010124) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/30 10:09 |
| - | 14 | (guid or id or identifier) with hash same web\$5 and (@ad<20010124 or @prad<20010124) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/30 10:38 |
| - | 3118 | (guid or id or identifier or hash) with (compar\$ or meet or ((greater or more) adj than) or ((less or smaller) adj than)) and web\$5 and (@ad<20010124 or @prad<20010124) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/30 10:40 |
| - | 460 | (guid or id or identifier or hash) near (compar\$ or meet or ((greater or more) adj than) or ((less or smaller) adj than)) and web\$5 and (@ad<20010124 or @prad<20010124) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/30 10:41 |
| - | 41 | (guid or id or identifier or hash) near (compar\$ or meet or ((greater or more) adj than) or ((less or smaller) adj than)) same web\$5 and (@ad<20010124 or @prad<20010124) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/30 10:42 |
| - | 17 | (guid or id or identifier or hash) near (compar\$ or meet or ((greater or more) adj than) or ((less or smaller) adj than)) same web\$5 and (@ad<20010124 or @prad<20010124) and client and server | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/30 16:18 |